

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

FEED OR FIGHT

1. RAISE MORE LIVE STOCK

It is impossible to overdo this business within the next five years, war or no war.

2. WINTER FEED STEERS

Substitute cows on the ranges for steers over two years of age wherever practicable.

3. SAVE LAMBS

Build lambing sheds to eliminate the excessive loss of new-born lambs. The U. C. College of Agriculture will furnish plans.

4. INCREASE FARM FLOCKS

Keep small flocks of sheep on farms to conserve forage not otherwise utilized.

5. DOUBLE PORK OUTPUT

Keep two brood sows instead of one wherever grain sorghums are available.

6. SAVE DAIRY CALVES

Skim milk is a food. Dairy calves should not be sacrificed prematurely.

7. GUARD AGAINST DISEASE

Report any outbreak of disease among domestic animals immediately to Dr. Chas. Keane, State Veterinarian, Sacramento, Cal.

8. SILOS CONSERVE FEED

Build silos for the storage of non-saccharine sorghums, sweet sorghums or Indian corn. The U. C. College of Agriculture will furnish plans and supervise without expense, the building of silos by community effort. The materials cost about \$1.50 per ton capacity.

Ask your Farm Adviser, Forest Ranger, Horticultural Commissioner, or write to the University of California, College of Agriculture, Berkeley, Cal.